



2026 CONSUMER

DIGITAL PREVIEW CATALOGUE



BATTERY
MOWERS

BATTERY
HAND TOOLS

BATTERY
RIDING MOWER

BATTERIES &
CHARGERS

PETROL
WALK MOWERS

PETROL
ZERO-TURN

SCARIFIER

BATTERY MOWERS

36CM & 43CM CORDLESS WALK MOWERS - POWERED BY FLEX-FORCE POWER SYSTEM™

NEXT PAGE



MODEL	eMULTICYCLER eL36PST 21836			eMULTICYCLER eL43PST 21843			eMULTICYCLER eL43VST 21844		
Cutting Width	36 cm			▶ 43 cm			43 cm		
Motor	600W Brushless 60V			▶ 850W Brushless 60V			850W Brushless 60V		
60V Flex-Force Battery & Charger	2.5 Ah Battery and 2.0 Amp Charger			▶ 4.0 Ah Battery and 2.0 Amp Charger			4.0 Ah Battery and 2.0 Amp Charger		
Maximum Area Cut* with one charge	Battery	Watt Hours	Max Area Cut*	Battery	Watt Hours	Max Area Cut*	Battery	Watt Hours	Max Area Cut*
	2.5 Ah	135	up to 800 m²	4.0 Ah	216	up to 900 m²	4.0 Ah	216	up to 900 m²
Drive System	Push			Push			▶ Variable Speed, Rear Wheel Drive		
Starter	Push Button			Push Button			Push Button		
Height of Cut	1-point, 19-70 mm			1-point, 19-70 mm			1-point, 19-70 mm		
Deck Type	Polymer			Polymer			Polymer		
Weight	23 kg (with 2.5 Ah Battery)			26 kg (with 4.0 Ah Battery)			28 kg (with 4.0 Ah Battery)		
Type of Recycler	2-in-1 (Bag and Mulch)			2-in-1 (Bag and Mulch)			2-in-1 (Bag and Mulch)		
Grass Box Capacity	40 L			▶ 50 L			50 L		
Key Features	• RunSmart™ • SmartStow® • 2-Speed Switch (RunSmart/Max Speed)		• Mulch Plug • Quick Storage Handlebar • Grassbox Full Indicator	• RunSmart™ • SmartStow® • 2-Speed Switch (RunSmart/Max Speed)		• Mulch Plug • Quick Storage Handlebar • Grassbox Full Indicator	• RunSmart™ • SmartStow® • 2-Speed Switch (RunSmart/Max Speed)		• Mulch Plug • Quick Storage Handlebar • Grassbox Full Indicator
Warranty*	3-Year Coverage			3-Year Coverage			3-Year Coverage		

TORO

TORO.COM

▶ Step-up Feature + Based on low speed in controlled laboratory testing of product. Run time varies with load.
* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

Product Name Key:
e Battery
S Steel Deck

C Cast Aluminium Deck
TM Dual-Force™ Cutting Deck
L Poly Deck

36-76 Deck Size
P Push
A Automatic Drive RWD

V Variable Speed Rear Wheel Drive (RWD)
O One Speed
BC Blade Brake Clutch (BBC)

ST SmartStow®
W All Wheel Drive (AWD)
K Key Start

BATTERY
MOWERS

BATTERY
HAND TOOLS

BATTERY
RIDING MOWER

BATTERIES &
CHARGERS

PETROL
WALK MOWERS

PETROL
ZERO-TURN

SCARIFIER

BATTERY MOWERS

52CM, 53CM, 55CM & 76CM CORDLESS WALK MOWERS -
POWERED BY FLEX-FORCE POWER SYSTEM™



MODEL	eRECYCLER™ eS52VST 21853			eSUPER RECYCLER eC53AST 21695			eRECYCLER eS55AST 21864			eTIMEMASTER® eTM76 21876		
Cutting Width	▶ 52 cm			▶ 53 cm			▶ 55 cm			76cm		
Motor	1.5kW Brushless 60V			▶ 2kW Brushless 60V			2kW Brushless 60V			▶ 3.2kW Brushless 60V		
60V Flex-Force Battery & Charger	6.0 Ah Battery and 2.0 Amp Charger			▶ 7.5 Ah Battery and 2.0 Amp Charger			6.0 Ah Battery and 2.0 Amp Charger			▶ 2 x 10.0 Ah Batteries and 5.5 Amp Rapid Charger		
Maximum Area Cut* with one charge	Battery	Watt Hours	Max Area Cut*	Battery	Watt Hours	Max Area Cut*	Battery	Watt Hours	Max Area Cut*	Battery	Watt Hours	Max Area Cut*
	6.0 Ah	324	up to 925m²	7.5 Ah	405	up to 1700 m²	6.0 Ah	324	up to 1300m²	10.0Ah x2	1080 (Total)	up to 2590m²
Drive System	Variable Speed, Rear Wheel Drive			▶ AutoMatic Drive System, Rear Wheel Drive			▶ AutoMatic Drive System, Rear Wheel Drive, High Wheel			Automatic Drive System, Rear Wheel Drive, High Wheel		
Starter	Push Button			Push Button			Push Button			Push Button		
Height of Cut	2-point, 32-95mm			2-point, 32–95 mm			4-point, 25-102mm			2-point, 32 - 108mm		
Deck Type	Steel			▶ Aluminium			Steel			Steel		
Weight	33 kg (with 6.0 Ah Battery)			42 kg (with 7.5 Ah Battery)			36 kg (with 6.0 Ah Battery)			73 kg (with 2x 10.0 Ah Batteries)		
Type of Recycler	▶ 3-in-1 (Bag, Mulch, Side Discharge¹) ¹Available free of charge upon request			2-in-1 (Bag and Mulch) Optional Side Discharge Chute available			2-in-1 (Bag, Mulch) Optional Side Discharge Chute available			▶ 3-in1 (Bag, Mulch, Side Discharge)		
Grassbag Capacity	57 L			▶ 63 L			63 L			▶ 88 L		
Key Features	• RunSmart™ ▶ SmartStow® • 2-Speed Switch (RunSmart/Max Speed) • Integrated Mulch Plug			• Vortex Technology • SmartStow • RunSmart • 2-Speed Switch (RunSmart/Max Speed) • Height Adjustable Handlebar			• Vortex Technology • RunSmart • SmartStow • Height Adjustable Handlebar, Recycle on Demand			• RunSmart • Traction Assist Handle • Height Adjustable Handlebar ▶ Quick Storage Handlebar ▶ Washout Port		
Warranty*	3-Year Coverage			Motor and Battery: 3-Year Coverage Deck: 5-Year Coverage			3-Year Coverage			3-Year Coverage		



TORO.COM

▶ Step-up Feature + Based on low speed in controlled laboratory testing of product. Run time varies with load.
* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

Product Name Key:
e Battery
S Steel Deck

C Cast Aluminium Deck
TM Dual-Force™ Cutting Deck
L Poly Deck

36-76 Deck Size
P Push
A Automatic Drive RWD

V Variable Speed Rear Wheel Drive (RWD)
O One Speed
BC Blade Brake Clutch (BBC)

ST SmartStow®
W All Wheel Drive (AWD)
K Key Start

BATTERY
MOWERS

BATTERY
HAND TOOLS

BATTERY
RIDING MOWER

BATTERIES &
CHARGERS

PETROL
WALK MOWERS

PETROL
ZERO-TURN

SCARIFIER

CORDLESS BATTERY HAND TOOLS

POWERED BY FLEX-FORCE POWER SYSTEM™

BATTERY & CHARGER SOLD SEPARATELY



MODEL	LEAF BLOWER 51825T		LEAF BLOWER PLUS 51900T	
Motor	Brushless 60V DC		Brushless 60V DC	
Recommended Battery and Charger <i>Sold Separately</i>	2.5Ah 60V Battery and 2.0 Amp Charger		4.0Ah 60V Battery and 2.0 Amp Charger	
Run Time^	Using 2.5 Ah Battery		Using 4.0 Ah Battery	
	Speed Setting	Run Time	Speed Setting	Run Time
	Low	Up to 90 min	Low	Up to 120 min
	High	Up to 25 min	High	Up to 17 min
	Turbo Boost	Up to 10 min	Turbo Boost	Up to 10 min
Speed Control	Variable Trigger, Turbo Boost		Variable Trigger, Turbo Boost	
Noise Rating	Measured Sound Power: 101 dBA; Guaranteed Sound Power: 103 dBA; Sound Pressure: 86 dBA; K-factor: 3		Measured Sound Power: 101 dBA; Guaranteed Sound Power: 103 dBA; Sound Pressure: 86 dBA; K-factor: 3	
Hand/Arm Vibration	Left & Right: 1.5 m/s ² rms, Uncertainty K: 0.1 m/s ²		Left & Right: 1.5 m/s ² rms, Uncertainty K: 0.1 m/s ²	
Weight (w/ 2.5Ah Battery)	3.4 kg		4.5 kg	
Comfort Grip	Standard		► Textured Overmolding	
Air Flow Rate ¹	Up to 17.3 m ³ /min.		► Up to 25.5 m ³ /min.	
Air Speed ¹	Up to 185 km/h		► Up to 265 km/h	
Warranty*	3-Year Coverage		► 3-Year Coverage	



TORO.COM

^ Based on controlled laboratory testing of product ¹Base on turbo boost mode.
* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

BATTERY MOWERS
BATTERY HAND TOOLS
BATTERY RIDING MOWER
BATTERIES & CHARGERS
PETROL WALK MOWERS
PETROL ZERO-TURN
SCARIFIER

CORDLESS BATTERY HAND TOOLS

POWERED BY FLEX-FORCE POWER SYSTEM™

BATTERY & CHARGER SOLD SEPARATELY



NEW!



NEW!

MODEL	41cm STRING TRIMMER 51890T			43cm STRING TRIMMER 51895T		
Motor	Brushless 60V DC			Brushless 60V DC		
Recommended Battery and Charger <i>Sold Separately</i>	2.5Ah 60V Battery and 2.0 Amp Charger			2.5Ah 60V Battery and 2.0 Amp Charger		
Run Time^ (2.5Ah Battery)	Cut Length	Line Diameter	Run Time	Cut Length	Line Diameter	Run Time
	35.5 cm	2.4 mm	Up to 45 min	38 cm	2.4 mm	Up to 45 min
	40 cm	2.4 mm	Up to 36 min	43 cm	2.4 mm	Up to 35 min
Speed Control	Variable trigger			Variable trigger		
Noise Rating	Measured Sound Power: 92 dBA; Guaranteed Sound Power: 93 dBA; Sound Pressure: 80.2 dBA; K-factor: 3			Measured Sound Power: 95 dBA; Guaranteed Sound Power: 96 dBA; Sound Pressure: 83 dBA; K-factor: 3		
Hand/Arm Vibration	Left & Right: 3.2 m/s ² rms, Uncertainty K: 0.8 m/s ²			Left & Right: 3.2 m/s ² rms, Uncertainty K: 0.8 m/s ²		
Weight (w/ 2.5Ah Battery)	5.0 kg			5.1 kg		
Cutting Width	35 cm			▶ 43 cm		
Comfort Grip	▶ Ergonomic Handle with Textured Grip			Ergonomic Handle with Textured Grip		
Telescopic Length	Up to 146mm			Up to 146mm		
Trimmer Line	2.4 mm line included 2.0 mm line sold separately			2.4 mm line included 2.0 mm line sold separately		
Line Advancement	Tap and Go			Tap and Go		
Quick Feed Head	Standard			Standard		
Warranty*	3-Year Coverage			3-Year Coverage		

TORO®

TORO.COM

^ Based on controlled laboratory testing of product
* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

BATTERY
MOWERS

BATTERY
HAND TOOLS

BATTERY
RIDING MOWER

BATTERIES &
CHARGERS

PETROL
WALK MOWERS

PETROL
ZERO-TURN

SCARIFIER

CORDLESS BATTERY HAND TOOLS

POWERED BY FLEX-FORCE POWER SYSTEM™

BATTERY & CHARGER SOLD SEPARATELY



MODEL	CHAINSAW 51845T	POLE SAW 51847T
Motor	Brushless 60V DC	840 Watt, Brushless 60V DC
Cuts Per Charge^ (w/ 2.5Ah Battery)	Up to 50 cuts (15 cm x 15 cm timber)	Up to 300 cuts (10 cm x 10 cm timber)
Speed Control	Variable trigger	1-speed
Hand/Arm Vibration	Left & Right: 5.7 m/s ² rms, Uncertainty K: 1.5 m/s ²	Left & Right: 3.8 m/s ² rms, Uncertainty K: 0.2 m/s ²
Noise Rating	Measured Sound Power: 101.1 dBA; Guaranteed Sound Power: 105 dBA Sound Pressure: 91 dBA; Uncertainty: 3	Measured Sound Power: 93 dBA; Guaranteed Sound Power: 97 dBA; Sound Pressure: 80 dBA; Uncertainty: 3
Bar Length	41 cm	25 cm
Chain Pitch/Gauge	Pitch 9.5 mm; Gauge 1.1 mm	Pitch 6.4 mm; Gauge 1.3 mm
Tool Reach	-	2.4 m
Chain Oil Capacity	270ml	80 ml
Chain Tensioning	Tooled	-
Bar Cover	Included	Included
Chain Speed	11 m/s	10 m/s
Weight (w/ 2.5Ah Battery)	5.8 kg	5.4 Kg
Comfort Grip	Standard	Standard
Warranty*	3-Year Coverage	3-Year Coverage



MODEL	HEDGE TRIMMER 51855T
Bar Length	61 cm
Cut Capacity	1.9 cm
Blade Material	Hardened Steel
Rotating Handle	Standard
Motor	Brushless 60V DC
Run Time^ (w/ 2.5Ah Battery)	Up to 75 min
Bar Cover	Included
Strokes/Minute	3,200
Speed Control	Variable trigger
Weight (w/ 2.5Ah Battery)	4.2 kg
Noise Rating	Measured Sound Power: 92 dBA; Guaranteed Sound Power: 96 dBA; Sound Pressure: 80 dBA; Uncertainty: 3
Hand/Arm Vibration	Left & Right: 2.5 m/s ² rms, Uncertainty K: 1.5 m/s ²
Comfort Grip	Standard
Warranty*	3-Year Coverage



TORO.COM

^ Based on controlled laboratory testing of product
* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

BATTERY RIDING MOWERS

81CM 72V BATTERY GARDEN TRACTORS AND 107CM 60V BATTERY ZERO TURN MOWER



MODEL	eRS3200DC 75501			eTIMECUTTER eMR4275 75642		
Cutting Width	81 cm			107 cm		
Deck Construction	Steel			Fabricated		
Motor	3 x 800w motors			2x 60V Brushless		
Battery	Lithium-ion 72V 22.5Ah Integrated Battery Included			4x Flex-Force 10Ah Batteries Included		
Charger	Integrated battery with mains charging cable. (Charge time 11 hours)			Flex-Force 6-Pod Charger		
Maximum Area Cut* <i>with one charge</i>	Battery	Watt Hours	Max Area Cut*	Battery	Watt Hours	Max Area Cut*
	22.5 Ah	1620	up to 2500m²	4x 10 Ah	2160	up to 8100m²
Height of Cut	25-135 mm			38 - 114 mm		
Grass Box Capacity	190 L			227 L (Grassbag Optional)		
Deck Type	2-Blade			2-Blade: Recycler, Side Discharge		
Weight	164 kg			250 kg		
Key Features	• Cruise Control • Mow in Reverse • Rear Collection		• Cup Holder • Mulch Plug	• MyRIDE® • High Back Comfort Seat		• Fabricated Deck • LED Headlights
Warranty*	3-Year Coverage			3-Year Coverage		



TORO.COM

^ Based on controlled laboratory testing of product
* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

Product Name Key:
e Battery
RS Rider Stamped Deck
ZS Timecutter® Stamped Deck
ZR Timecutter Fabricated Deck
MR Timecutter Fabricated MyRide®
ZX Titan line
ZXM Titan line MyRide
42-54 Deck Size
00 Standard Line
75 Premium Line
S Single Cylinder
T Twin Cylinder
SD Side Discharge
DC Rear Collection

60V BATTERY & CHARGERS

POWERED BY FLEX-FORCE POWER SYSTEM™

MODEL	2.5 Ah BATTERY <i>L135</i> 88925	4.0 Ah BATTERY <i>L216</i> 88941	6.0 Ah BATTERY <i>L324</i> 88960	8.0 Ah BATTERY <i>L432</i> 88980	10.0 AH BATTERY <i>L540</i> 68810
Key Features	LED on-board power meter Fits all 60V products	LED on-board power meter Fits all 60V products	LED on-board power meter Fits all 60V products	LED on-board power meter Fits all 60V products	LED on-board power meter Fits all 60V products
Battery Power	60 Volts MAX ⁺	60 Volts MAX ⁺	60 Volts MAX ⁺	60 Volts MAX ⁺	60 Volts MAX ⁺
Amp-Hour	▶ 2.5 Ah	▶ 4.0 Ah	▶ 6.0 Ah	▶ 8.0 Ah	▶ 10.0 Ah
Watt-Hour	▶ 135 Wh	▶ 216 Wh	▶ 324 Wh	▶ 432 Wh	▶ 540 Wh
Warranty**	3-Year Coverage	3-Year Coverage	3-Year Coverage	3-Year Coverage	3-Year Coverage

	NEW!							
	2.0 AMP CHARGER 86902		5.5 AMP RAPID CHARGER 86905		4.0 AMP 2-POD CHARGER 86924		12 AMP 6-POD CHARGER 66560	
BATTERY CHARGE TIMES^	90% Charge	Full Charge	90% Charge	Full Charge	90% Charge	Full Charge	90% Charge	Full Charge
2.5 Ah BATTERY <i>L135</i>	60 mins	110 mins	25 mins	65 mins	25 mins	45 mins	30 mins	45 mins
4.0 Ah BATTERY <i>L216</i>	100 mins	150 mins	35 mins	65 mins	45 mins	60 mins	30 mins	50 mins
6.0 Ah BATTERY <i>L324</i>	150 mins	215 mins	50 mins	95 mins	70 mins	95 mins	50 mins	95 mins
7.5 Ah BATTERY <i>L405 - available in eC53AST kit only</i>	155 mins	260 mins	60 mins	115 mins	80 mins	110 mins	60 mins	105 mins
8.0 Ah BATTERY <i>L432</i>	190 mins	275 mins	70 mins	125 mins	95 mins	120 mins	35 mins	60 mins
10.0 Ah BATTERY <i>L540</i>	215 mins	355 mins	75 mins	155 mins	105 mins	145 mins	40 mins	65 mins



Models shown
4.0 AMP 2-Pod Charger &
2x 2.5 Ah Batteries L135



TORO.COM

▶ Step-up Feature

+Max power output measured in watts based on battery cell manufacturer’s rating. Actual max power output dependent on the use conditions and tool used.

BATTERY
MOWERS

BATTERY
HAND TOOLS

BATTERY
RIDING MOWER

BATTERIES &
CHARGERS

PETROL
WALK MOWERS

PETROL
ZERO-TURN

SCARIFIER

PETROL MOWER

46CM & 53CM WALK MOWERS



MODEL	RECYCLER® S460 20949	RECYCLER® S53VST 21753	SUPER RECYCLER® C53AST 21693
Cutting Width	46 cm	▶ 53 cm	53 cm
Engine/Motor	Toro® OHV 159cc	Briggs & Stratton® Series 675 163cc	Briggs & Stratton® Series 675 EXI 163cc
Drive System	Fixed Speed, Rear Wheel Drive	▶ Variable Speed, Rear Wheel Drive	▶ AutoMatic Drive System, Rear Wheel Drive, High Wheel
Starter	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start
Height of Cut	1-point, 25-70mm	▶ 2-point, 32-95mm	▶ 4 point, 32-108mm
Deck Type	Steel	Steel	▶ Aluminium
Weight	29 kg	30 kg	38 kg
Type of Recycler	3-in-1 (Bag, Recycler, Rear Discharge)	3-in-1 (Bag, Recycler, Side Discharge¹) <i>*Free of charge side discharge chute available upon request</i>	2-in-1 (Bag, Recycler) <i>Optional side discharge chute available</i>
Grassbag Capacity	55 L	▶ 57 L	▶ 63 L
Key Features	• Washout Port	▶ SmartStow® • Integrated Mulch Plug	• SmartStow® ▶ Vortex Technology ▶ Height Adjustable Handlebar
Warranty*	2-Year Coverage 2-Year Guaranteed-to-Start	2-Year Coverage 2-Year Guaranteed-to-Start	5-Year Coverage 5-Year Guaranteed-to-Start



TORO.COM

▶ Step-up Feature ¹21753 side discharge chute available free of charge upon request
* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

Product Name Key:
e Battery
S Steel Deck

C Cast Aluminium Deck
TM Dual-Force™ Cutting Deck
L Poly Deck

36-76 Deck Size
P Push
A Automatic Drive RWD

V Variable Speed Rear Wheel Drive (RWD)
O One Speed
BC Blade Brake Clutch (BBC)

ST SmartStow®
W All Wheel Drive (AWD)
K Key Start

BATTERY
MOWERS

BATTERY
HAND TOOLS

BATTERY
RIDING MOWER

BATTERIES &
CHARGERS

PETROL
WALK MOWERS

PETROL
ZERO-TURN

SCARIFIER

PETROL MOWER

55CM WALK MOWERS



MODEL	RECYCLER® S550ST 21770	RECYCLER S55A 21771	RECYCLER S55ABC 21772	RECYCLER S55AST 21773	RECYCLER S55AWST 21774
Cutting Width	55 cm	55 cm	55 cm	55 cm	55 cm
Engine/Motor	Briggs & Stratton® Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc
Drive System	Fixed Speed, Front Wheel Drive, High Wheel	► AutoMatic Drive System, Rear Wheel Drive, High Wheel	AutoMatic Drive System, Rear Wheel Drive, High Wheel	AutoMatic Drive System, Rear Wheel Drive, High Wheel	AutoMatic Drive System, ► All-Wheel Drive, High Wheel
Starter	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start
Height of Cut	4-point, 25-102mm	4-point, 25-102mm	4-point, 25-102mm	4-point, 25-102mm	4-point, 25-102mm
Deck Type	Steel	Steel	Steel	Steel	Steel
Weight	32 kg	35 kg	37 kg	35 kg	37 kg
Type of Recycler	2-in-1 (Bag, Recycler) <i>Optional side discharge chute available</i>	2-in-1 (Bag, Recycler) <i>Optional side discharge chute available</i>	2-in-1 (Bag, Recycler) <i>Optional side discharge chute available</i>	2-in-1 (Bag, Recycler) <i>Optional side discharge chute available</i>	2-in-1 (Bag, Recycler) <i>Optional side discharge chute available</i>
Grassbag Capacity	63 L	63 L	63 L	63 L	63 L
Key Features	• Vortex Technology • SmartStow®	• Vortex Technology ► Height Adjustable Handlebar ► Recycle on Demand	► Blade Brake Clutch • Vortex Technology • Height Adjustable Handlebar • Recycle on Demand	► SmartStow • Vortex Technology • Recycle on Demand	• Vortex Technology • SmartStow • Recycle on Demand
Warranty*	2-Year Coverage 2-Year Guaranteed-to-Start	2-Year Coverage 2-Year Guaranteed-to-Start	2-Year Coverage 2-Year Guaranteed-to-Start	2-Year Coverage 2-Year Guaranteed-to-Start	2-Year Coverage 2-Year Guaranteed-to-Start



TORO.COM

► Step-up Feature
* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

Product Name Key:
e Battery
S Steel Deck

C Cast Aluminium Deck
TM Dual-Force™ Cutting Deck
L Poly Deck

36-76 Deck Size
P Push
A Automatic Drive RWD

V Variable Speed Rear Wheel Drive (RWD)
O One Speed
BC Blade Brake Clutch (BBC)

ST SmartStow®
W All Wheel Drive (AWD)
K Key Start

BATTERY
MOWERS

BATTERY
HAND TOOLS

BATTERY
RIDING MOWER

BATTERIES &
CHARGERS

PETROL
WALK MOWERS

PETROL
ZERO-TURN

SCARIFIER

PETROL MOWER

76CM WALK MOWERS



MODEL	TIMEMASTER® TM76 21815	TIMEMASTER TM76K 21816
Cutting Width	76 cm	76 cm
Engine/Motor	Briggs & Stratton PXi 1000 Series 223cc	Briggs & Stratton PXi 1000 Series 223cc
Drive System	AutoMatic Drive System, Rear Wheel Drive w/ Traction Assist	AutoMatic Drive System, Rear Wheel Drive w/ Traction Assist
Starter	Recoil, Zone Start	► Electric, Zone Start
Height of Cut	2-point, 32-108mm	2-point, 32-108mm
Deck Type	Steel	Steel
Weight	64 kg	66 kg
Type of Recycler	3-in-1 (Bag, Recycler, Side Discharge)	3-in-1 (Bag, Recycler, Side Discharge)
Grassbag Capacity	88 L	88 L
Key Features	• Blade Brake Clutch • Height Adjustable Handlebar • Quick Storage Handlebar • Washout Port	• Blade Brake Clutch • Height Adjustable Handlebar • Quick Storage Handlebar • Washout Port
Warranty*	3-Year Coverage	3-Year Coverage



TORO.COM

► Step-up Feature
* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

Product Name Key:
e Battery
S Steel Deck

C Cast Aluminium Deck
TM Dual-Force™ Cutting Deck
L Poly Deck

36-76 Deck Size
P Push
A Automatic Drive RWD

V Variable Speed Rear Wheel Drive (RWD)
O One Speed
BC Blade Brake Clutch (BBC)

ST SmartStow®
W All Wheel Drive (AWD)
K Key Start

BATTERY
MOWERS

BATTERY
HAND TOOLS

BATTERY
RIDING MOWER

BATTERIES &
CHARGERS

PETROL
WALK MOWERS

PETROL
ZERO-TURN

SCARIFIER

PETROL RIDE-ON MOWERS

107CM & 127CM ZERO-TURN MOWERS



MODEL	TIMECUTTER ZS4200S 74683	TIMECUTTER ZS4200T 74677	TIMECUTTER ZR4200T 74679	TIMECUTTER MR4275T 74692	TIMECUTTER MR5075T 74696
Cutting Width	107 cm	107 cm	107 cm	107 cm	▶ 127cm
Engine/Motor	Briggs & Stratton® 500cc Single Cylinder	▶ Briggs & Stratton® 724cc V Twin Cylinder	Briggs & Stratton® 724cc V Twin Cylinder	▶ Kawasaki 726cc V Twin Cylinder	▶ Kawasaki 726cc V Twin Cylinder
Transmission System	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic
Height of Cut	38-114mm	38-114mm	38-114mm	38-114mm	38-114mm
Deck Type	2-Blade: Recycler, Side Discharge	2-Blade: Recycler, Side Discharge	2-Blade: Recycler, Side Discharge	2-Blade, Recycler, Side Discharge	▶ 3-Blade, Recycler, Side Discharge
Grassbag Capacity	Optional -227 L	Optional -227 L	Optional -227 L	Optional -227 L	Optional -227 L
Weight	231 kg	223 kg	229 kg	267 kg	293 kg
Key Features	• Smart Speed • Onboard Storage • Hitch Kit • Washout Port • 41 cm High Back Comfort Seat	• Smart Speed • Onboard Storage • Hitch Kit • Washout Port • 41 cm High Back Comfort Seat	• Smart Speed • Onboard Storage • Hitch Kit • Washout Port • 41 cm High Back Comfort Seat	▶ MyRIDE® • Smart Speed • Hitch Kit • Washout Port ▶ 46 cm High Back Comfort Seat with Armrests • Fabricated Deck	• MyRIDE® • Smart Speed • Hitch Kit • Washout Port • 46 cm High Back Comfort Seat with Armrests • Fabricated Deck • Deck Foot Lift
Warranty*	3-Year Coverage	3-Year Coverage	3-Year Coverage	3-Year Coverage	3-Year Coverage



TORO.COM

▶ Step-up Feature

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

Product Name Key:

e Battery
RS Rider Stamped Deck

ZS

ZR

MR

Timecutter® Stamped Deck

Timecutter Fabricated Deck

Timecutter Fabricated MyRide®

ZX Titan line

ZXM Titan line MyRide

42-54 Deck Size

00

75

S

Standard Line

Premium Line

Single Cylinder

T

SD

DC

Twin Cylinder

Side Discharge

Rear Collection

BATTERY
MOWERS

BATTERY
HAND TOOLS

BATTERY
RIDING MOWER

BATTERIES &
CHARGERS

PETROL
WALK MOWERS


PETROL
ZERO-TURN

SCARIFIER

PETROL RIDE-ON MOWERS

122CM - 152CM HEAVY-DUTY ZERO-TURN MOWERS


Large Estate Lawn



10,000m²




Commercial-Sized Property



10,000m²+



Commercial-Sized Property



10,000m²+



MODEL	TITAN® ZXM4875 76448	TITAN® ZXM5475 76554	TITAN® ZXM6075 76660
Cutting Width	122cm	▶ 137cm	▶ 152cm
Engine/Motor	▶ Kawasaki 726cc V Twin Cylinder	Kawasaki 726cc V Twin Cylinder	Kawasaki 726cc V Twin Cylinder
Transmission System	Dual Hydrostatic w/ Charge Pumps	Dual Hydrostatic HG ZT2800	Dual Hydrostatic HG ZT2800
Height of Cut	38 - 127mm	38 - 127mm	38 - 127mm
Grassbag Capacity	Optional - 227L	Optional - 227L	Optional - 227L
Deck Type	10-Gauge Steel ▶ IronForged® Deck. 3-Blade: Recycler, Side Discharge	10-Gauge Steel IronForged® Deck. 3-Blade: Recycler, Side Discharge	10-Gauge Steel IronForged® Deck. 3-Blade: Recycler, Side Discharge
Weight	360 kg	360 kg	377 kg
Key Features	▶ MyRide® • Hitch Kit • Hour Meter • Deck Foot Lift • High Back Comfort Seat • Fabricated Deck	• MyRide® • Hitch Kit • Hour Meter • Deck Foot Lift • High Back Comfort Seat • Fabricated Deck	• MyRide® • Hitch Kit • Hour Meter • Deck Foot Lift • High Back Comfort Seat • Fabricated Deck
Warranty*	3- Year Coverage	3- Year Coverage	3- Year Coverage



TORO.COM

▶ Step-up Feature

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

Product Name Key:

e Battery
RS Rider Stamped Deck

ZS Timecutter® Stamped Deck
ZR Timecutter Fabricated Deck
MR Timecutter Fabricated MyRide®

ZX Titan line
ZXM Titan line MyRide
42-54 Deck Size

00 Standard Line
75 Premium Line
S Single Cylinder

T Twin Cylinder
SD Side Discharge
DC Rear Collection

BATTERY
MOWERS

BATTERY
HAND TOOLS

BATTERY
RIDING MOWER

BATTERIES &
CHARGERS

PETROL
WALK MOWERS

PETROL
ZERO-TURN

SCARIFIER

PETROL SCARIFIER

40 CM STEEL DECK SCARIFIER

MODEL	SCARIFIER 54610
Cutting Width	40 cm
Engine/Motor	Briggs & Stratton® 163cc XR-750 Series
Drive System	Push
Starter	Recoil
Working Depth	+10 to -15 mm
Height Adjustment	Single Point
Deck Type	Steel
Grassbag Capacity	50 L
Rotors	1 x 24 steel springs 1 x 18 verticutter
Weight	38 kg
Warranty*	2-Year Coverage



PREVIOUS PAGE

BATTERY
MOWERS

BATTERY
HAND TOOLS

BATTERY
RIDING MOWER

BATTERIES &
CHARGERS

PETROL
WALK MOWERS

PETROL
ZERO-TURN

SCARIFIER

TORO®

TORO.COM

► Step-up Feature

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com